



SCAN QR TO DOWNLOAD E-CATALOGUE



Factory :

OM LAMCOAT PVT. LTD. MORBI-363641 (GUJARAT) INDIA.

info@omlaminates.com
 www.omlaminates.com
















Explore the World of OM MIC/

COLOR


Crowned in 2013, OM MICA Laminates holds a prestigious stature within the laminate market. Our unwavering commitment to excellence is the cornerstone of our enduring success. We deliver meticulously curated to align with our clients' discerning tastes and artistically crafted laminates in a spectrum of cool hues, interior aspirations. We consistently explore innovative color palettes and textures to offer our clients the very best.

Our relentless pursuit of quality has garnered the unwavering love and trust of our esteemed customers. We firmly believe that true peace of mind begins at home, and our laminates are designed to enhance the beauty and serenity of your living spaces.



INTERACTIVE CATALOGUE






- 1. Open the downloaded PDF in any device.
- 2. Browse through our entire collection right on your fingertips.
- Like a product or design? Click anywhere on the product to open its dedicated web page.
- 4. Here you will find the application preview



SCAN THE QR CODE FOR AN E-CATALOGUE







DESERT SAND







SLIDING LINE





WOVEN





SUPER MATT




HIGH GLOSS

SF suede finish

A splendid display of versatile designs to give your spaces an exquisite look of inimitable style.









In the zenith of sophistication, our laminates epitomize enduring opulence.


DN-2015

RADIANT LUXE












CT-2015












DN-2047






ELEGANT SOPHISTICA





NM-2048

U











XT-2048







BR-2048



In a world where timeless beauty reigns, our products embody the ultimate in opulence and sophistication.










Where elegance weaves a rich tapestry, we craft lamina that become a canvas for cherished memories.





Refined Luxury Selection

NM-2040








M O D E R N F L A I R







NM-2018

Truly Luxurious Textures

A design that eloquently tells its own unique tale, inviting you to become a part of its narrative.




CT-2018






STYLEELIXIR









Transormative statement pieces that enhance continuity and fluidity, creating a harmonious flow across all surfaces.










							1000			
1255	12	1 2.2	21 A 2		22	334				
10- My					13	2005m				
alla -	12 63	35			25	Sec.		The Frankling		
and the second		6.57			1	The second		S Et mile		
- All		201			23	34 C	144			
The Carl		2.3			22	3/2	1000			
1		1993	13 Tank			1 the second	TANK S			
and and	123 123	381			243	27	26			
	E E	6.77			23	A CONTRACT	The state			
- and		122			1	1000	334 -			
	10 B2	in and		김 명 김 단영	No		1/10-			
and the second		272			25	22	S 2 2			
and a start	22 22	20	N	et in 19 19 19 19	22	i alleria	Carl L			
and the		1.2	S 27.9		No	334	332 9			
2350	23 22	2.23	13 133		1 22	Zer and				
minut	ST 23	Start .		의 명 명 문화	22	22		a la maria		
and the second	12 ES	20			Nes	14-2		1 -16		
ging the		1. 20 0			125	35:4-				
UN B		120			22	7/2500	325 8			
126	24 23				Not	1212		and the first		
10-2-	10 A.	City Con	it is		1.1	- Carton	27	- ST		
		200			122	355	The state			
and the second	1 22 28	N.S.Y	· · · · · · · · · · · · · · · · · · ·		140	- ASMA	121-	and a start		
- ale	13 13	38	S -26		22	20				
			77.3		35	The second	27 1			
2.45		742	and the		140	33/2	and the second			
		Course ?			23	- Aller				
		26			25		7410 3			
56		200			1	122	22-12			
ALT.A.		124					and a			
2302		200			84	32				
1- SAT	8 8	10-20		된 법 법 [2]		12	22			
2 the	23 23	246		지 법 법 전형]	23	5.5.2				
120 14		1.00			24	1	338			
CALA		Perel /		그 법법 전경		1	1280 3			
255	23 23	2.27	244		23	23	1			
1					22	ESS.	State St			
the fait		38			29	No.	334- 6			
	83 88	C.TA		지 정 법 단경	28		2/15m- 23			
- Bart		132			22	27	No I			
		Sec. S			23	and the second s	The F	1 2 36		
100 miles		27			19	1334	· 334 3	1 23 6 37/2		
21 22	24 63	19.00			22		2/201 5			
ditter.		See. 1			100 M	200	50	and the second		
Des C	100	- mer	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		20	2.4.2	Jacob B			
interne .		AL WAL WALLAR WALL WALL WALL WALL WALLAR WALLAR	de-anti- ES .	ALLAND HAVAHAVA HAVA HAVAHALANA HAVA ANA HAVA HAVA HAVAHAVA HAVA HAV	EUTERATINE RATIONALE R	-252	342 4			
- Com		25	1 4 C			12	1/10	1 23 ->24		
may like		2.2			11	31-	ALC: N	and the second		
(Suit		1.00			22	and the second	The state	30 56		
		1	1		22	- 33.4-	342 0			
1		1 All	in the second		15	The second		1 2 - 23		
		160	23 244		15	- CE		100 2000		
and the second	10	()	S 213		114	- Com	10	DE RA		
1300		226-	and the		58	- 334				
and the second	100	Ture.			28	The series	A CAL	1 1 123		
27/2	ST 137	1 202	8 22		No	20	A SA	1 2 200		
and freeze		11.11			1	and and	100	A STR		
Sale	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Part !!	E <		+ 25	354				
7.55		2.6	1 200	224 12 12	12.5	The Start		1 1 128		
1- ANT		A.S.S.	and the			No Participante		The Francis		
	51 53	38	100		1			a state		
		1.7			1.3					
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	14 1.74		13	7/23-2				
- Ser 23	13 83	S. A.S.			24	A H	1417			

LW-2001

SF-2001

CHICGRANDEUR,





Bohemian Ecstasy

Elevated opulence that reshapes the essence of living in pure luxury.








A, L L U R E G A L O R E






NM-2001







SL-2001





CT-2001




DN-2001

Mesmeric Vibronce Feel a soothing verve of enchantment and excellence with designs that look simply the best.












C L A S S

Chic and classy, these textures give your spaces












LW-2003


Designs that give your interiors a warm and welcoming appeal, it's truly worth when your guests feel enthralled

Premium Edition





LAVISHEASE




ENTHRALLED ENAMOR














Mesmerizing laminate designs to give choose Om Mica's resplendent designs.






Charisma Sunounds The fervor of magnificence sways as these eclectic surfaces emanate grace.





FABULOUSER A





SF-2004


LW-2004




avish laminates that create a spellbound impact randeur, embrace the spectacular splendor.



Modish aura of enticing designs to make heads turn.




NM-2004



WV-2004








PU-2004

V E R V E

Contemporary craze of vivacious laminates to spread its luxurious flair within your decors.






GR-2004












GR-2005



PU-2005








S P E C T A C U L A R







Bohemian designs that suit your style and add a statement of uniqueness to your decors.




WV-2008












NM-2009




Plush Welcoming Panache





GR-2009





XT-2009










GR-2020

C H I C

The aesthetics of high-end order, give your spaces an edge of unparalleled class and perfection.



CT-2020









LIVELY MAGNIFICENCE







Absolutely awe-inspiring and elegant, make way for vivacity and brilliance with a range that captivates.





IVORY EDGE



PU-2026

M O O D


Elevate your ambiance and lift your spirits with great aesthetics





SUPER MATT






T R E N D Y T O U C H

SMT-2040 | ABALONE GREY










SMT-2015 | GRACIOUS GREY





NOVEL

V I V A C I T Y




SMT-2005 | TAUPE BLACK

SMT-2047 | SLEEK KHAKI





C L A S S Y R E A L M




The smart accents of inimitable laminates will turn your guests amazed and







SMT-2028 | SKY BLUE





SMT-2031 | LILAC


SUPER MATT



- \bigcirc
- \bigcirc

- \mathcal{O}
- \bigcirc
- R
- \bigcirc

 \bigcirc



SMT-2002 | GLORIOUS GREEN

SMT-2003 | MODISH BROWN




SMT-2019 | SMOKY GREY








SUPER MATT



SMT-2018 | SUBTLE BROWN





SMT-2008 | CARAMEL CRAZE




SUPER MATT




Smart & Chic Range

New refreshing vibe is curated to give your environment an extraordinary appeal.



SMT-2021 | MIST WHITE








B E A U T Y P E R S O N I F I E D





HG-2004 | MAVERICK BROWN


HG-2048 | SOOTHING GREY

E B U L L I E N T C H A R M,










HG-2047 | SLEEK KHAKI




HG-2001 | BEIGE WONDER





Lusuriance is here to entice and keep you glued to glory of exceptional designs. Stay hooked.




HG-2018 | SUBTLE BROWN



HG-2003 | MODISH BROWN





00


0

HG-2019 | SMOKY GREY


HG-2007 | OLIVE AURA

HIGH GLOSS





HG-2040 | ABALONE GREY





The modern touch of flamboyance and fascinating edge enraptures ambiance.



HG-2042 | GAINSBORO







HG-2008 | CARAMEL CRAZE

HG-2041 | SOFT ECRU

INDEX

Design No.	Finish	Page No.	Design No.	Finish	Page No.	Design No.	Finish	Page No.
2001	LW	13	2005	PU	26	2020	CT	31
2001	SF	13	2005	SMT	37	2021	SMT	43
2001	СВ	14	2005	HG	44	2022	SF	32
2001	GR	15	2007	WV	27	2025	PU	33
2001	NM	15	2007	SMT	41	2025	SMT	43
2001	SL	16	2007	HG	46	2026	PU	34
2001	СТ	16	2008	WV	28	2028	SMT	39
2001	TR	16	2008	SMT	42	2031	SMT	39
2001	DN	16	2008	HG	48	2040	NM	08
2001	SMT	43	2009	PU	30	2040	DN	08
2001	HG	45	2009	СТ	29	2040	BR	08
2002	WV	17	2009	NM	29	2040	SMT	35
2002	SMT	40	2009	XT	30	2040	HG	47
2003	LW	19	2009	GR	30	2041	GR	18
2003	SF	19	2009	SMT	35	2041	SMT	38
2003	GR	20	2009	HG	47	2041	HG	48
2003	СВ	21	2015	DN	01	2042	SMT	38
2003	TR	22	2015	BR	02	2042	HG	47
2003	SL	22	2015	CT	02	2047	NM	03
2003	PU	22	2015	SMT	36	2047	DN	04
2003	SMT	40	2018	BR	09	2047	XT	04
2003	HG	46	2018	LVV	09	2047	СТ	04
2004	WV	23	2018	NM	10	2047	SMT	37
2004	LW	23	2018	CT	10	2047	HG	45
2004	NM	24	2018	SMT	42	2048	NM	05
2004	СВ	24	2018	HG	46	2048	GR	05
2004	WV	24	2019	СВ	11	2048	CT	05
2004	PU	25	2019	WV	11	2048	XT	05
2004	GR	25	2019	NM	12	2048	BR	06
2004	SMT	37	2019	SMT	40	2048	SMT	37
2004	HG	44	2019	HG	46	2048	HG	44
2005	GR	26	2020	GR	31			

PRODUCT INFORMATION AND WARRANTY

TECHNICAL NAME : Decorative High Pressure Size : 1220mm x 2440mm (8'x4') THICKNESS : 1MM - Full QUALITY STANDARD: Accomplish requirements of IS: 2046 (BIS)

NOTE : Samples presented are indicative in all aspects i.e., colour, pattern, surface finish, thickness etc. High gloss sheets are recommended for vertical application only. Other combinations of colour, pattern and surface finish are available on special

DIRECTION OF USE

Before using laminate please ensure that the surface of plywood and laminate are clean, dry and free of other contaminations. Please well stir adhesive before use and don't add water in it. Also ensure that applied adhesive is sufficient or not? Once laminate pasted on plywood surface don't forget to apply adequate pressure for perfect bonding. To remove air bubble from assembly use roller press from centre of assembly toward edge of assembly. A gap of minimum 2 mm should be maintained between two laminates while pasting side by side. **WARRANTY:** Color one warrants that their products are free from any manufacturing defects and is suitable to utilize for normal and usual purpose only. It is recommended that the product should be inspected prior to installation. If found any visual defects, the product should not be used, cut or altered in any manner. Warranty will be limited to cost of the products only and no claims will be entertained after fixing, alteration or used of the product.

PROTECTING THE SURFACE

Scratch and impact Protection: Don't place lighted' cigarettes directly on laminate surface, Knives or other sharp untensils may slice or scratch the surface. Don't chop, slice, or placing a hot iron on pound or hammer on any laminate surface. Avoid laminate surface. Hot cookware should not be placed directly on laminate surface. Heavy blows of hammer or metal nay crack the laminate surface.

Ordinary Cleaning : In most cases, only need to use a clean, damp, non-abrasive cotton cloth and a mild liquid detergent or household cleaner and rinse with clean water.

Don't flood the laminate since water can be absorbed and results substrate to swell, dry the surface with a soft, clean and non-abrasive cotton cloth.

CHEMICAL DAMAGE : Never use cleaners containing acid, alkali or sodium hypochlorite. These cleaners will mar, etch, corrode and permanently discolour the laminate surface. Also make sure that bottles, rags and other materials contaminated with these cleaners never come in contact with the laminate surface.



ENTERTAINED

FOR AIR BUBBLES

NO CLAIM WILL BE ENTERTAINED FOR CRACKING ARISING OUT OF GROOVE CUTTING OR L. SHAPE

TECHNICAL SPECIFICATION




Sr. No.	Properties	Unit	Requirement as per is 2046:1995* Type S, VGS	Color One Confirms
1	Thickness	mm	1mm(±10%)	\checkmark
2	Resistance to surface wear	Revolutions (Min.)	350 (Min.)	\checkmark
3	Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) -Appearance	%(Max) %(Max) Grade (Min.)	10.0 11.8 4	\checkmark
4	Resistance to dry heat 180°c	Grade (Min.)	4	\checkmark
5	Dimensional Stability at elevated Temperature -Longitudinal (%) -Transverse (%)	% (Max.) % (Max.)	0.55 1.025	~
6	Dimensional Stability at 20º c -Longitudinal (%) -Transverse (%)	% (Max.) % (Max.)	0.375 0.6	~
7	Resistance to impact by small diameter ball	'N' (Min.)	20	1
8	Resistance to cracking	Grade (Min.)	4	\checkmark
9	Resistance to scratching	'N' (Min.)	2	\checkmark
10	Resistance to staning	Reagent 1+2 (Min.)	5	\checkmark
11	Resistance to colour change - In xenon arc light - In enclosed carbon arc light	Wool Standard (Min.) Wool Standard (Min.)	6 5	\checkmark
12	Resistance to Cigarette burns	Grade (Min.)	3	\checkmark
13	Resistance to steam	Grade (Min.)	4	\checkmark
14	Appearance		Free from foreign particles	✓


* All tests may not valid for embossed, high gloss & metalic laminates

LIMITED WARRANTY


- Kindly check the sheet in all aspects immediately after purchasing & prior to cutting.
- In case of manufacturing defects, only replacement of used sheet will be made.
- •No warranty for corner crack or air bubble.
- No claim will be entertained thereafter in any case of the specifics







Use only drill while cutting such corner, grew, angle, designs.



Do not cut laminate sheet at 90° it may possible crack while laying sheet.

ULTIMATE QUALITY SANDING